

**From:** Tien, Alysia [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=A4B393A4B8E74A33ABD6943792B52BC7-TIEN, ALYSIA]  
**Sent:** 12/7/2021 4:15:44 PM  
**To:** DeJong, Stephanie (she/her) [DeJong.Stephanie@epa.gov]  
**Subject:** RE: ND approval letter

## Ex. 5 Deliberative Process (DP)

Alysia Tien  
Physical Scientist  
Wastewater Section (8WD-CWW)  
U.S. EPA Region 8  
1595 Wynkoop Street  
Denver, CO 80202

Ph: (303) 312-7021  
Email: [tien.alysia@epa.gov](mailto:tien.alysia@epa.gov)

---

**From:** DeJong, Stephanie (she/her) <DeJong.Stephanie@epa.gov>  
**Sent:** Tuesday, December 7, 2021 9:05 AM  
**To:** Tien, Alysia <Tien.Alysia@epa.gov>  
**Subject:** FW: ND approval letter

## Ex. 5 Deliberative Process (DP)

---

**From:** Bloom, Judy <[Bloom.Judy@epa.gov](mailto:Bloom.Judy@epa.gov)>  
**Sent:** Monday, December 6, 2021 6:04 PM  
**To:** Gildea, Jason <[Gildea.Jason@epa.gov](mailto:Gildea.Jason@epa.gov)>; DeJong, Stephanie (she/her) <[DeJong.Stephanie@epa.gov](mailto:DeJong.Stephanie@epa.gov)>  
**Subject:** ND approval letter

### 3) Provisions EPA is Not Acting on Today

- Updated chronic aquatic life criterion for mercury in Section 33.1-16-02.1-09 (Table 2); and
- Updated language in Section 33.1-16-02.1-11 regarding the discharge of wastes to reflect the process of reporting any spill or discharge of waste that is likely to cause pollution of waters.

Judy Bloom | Manager | Clean Water Branch | USEPA, R8 | 1595 Wynkoop St, 8WD-CW | Denver CO | 80202 | 303 312 6395 – office | 303 548 5854 – mobile | [bloom.judy@epa.gov](mailto:bloom.judy@epa.gov)  
*Please email or call mobile as I am working remotely*  
*pronouns she/her/hers*